ELSEVIER

Journal of Non-Crystalline Solids 293–295 (2001) ix–xiv

JOURNAL OF NON-CRYSTALLINE SOLIDS

www.elsevier.com/locate/jnoncrysol

Contents

Preface vii
Contents ix

Section 1. Nano- and quasi-crystalline materials

Nanocrystalline iron–cobalt alloys supported on a silica matrix prepared by the sol–gel method
G. Ennas, M.F. Casula, A. Falqui, D. Gatteschi, G. Marongiu, G. Piccaluga, C. Sangregorio and G. Pinna 1

Formation of α-AgI stabilized composites from AgI–Ag_2O–B_2O_3 melts and glasses
M. Tatsumisago, T. Saito and T. Minami 10

Intergranular structure of nanocrystalline layered Li_xTiS_2 as derived from ^7Li NMR spectroscopy
R. Winter and P. Heitjans 19

Iron oxide–silica aerogel and xerogel nanocomposite materials
M.F. Casula, A. Corrias and G. Paschina 25

Substitutional tin-doped silica glasses: an infrared study of the sol–gel transition
C. Canevali, N. Chiodini, F. Morazzoni, J. Padovani, A. Paleari, R. Scotti and G. Spinolo 32

Formation of large-scale icosahedral clusters in a simple liquid approaching the glass transition
F.H.M. Zetterling, M. Dzugutov and S.I. Simdyankin 39

Increased medium-range order in amorphous silicon with increased substrate temperature
P.M. Voyles, J.E. Gerbi, M.M.J. Treacy, J.M. Gibson and J.R. Abelson 45

Section 2. NMR, EXAFS and XANES spectroscopy

Combined ^{29}Si double quantum NMR and MD simulation studies of network connectivities of binary $Na_2O{\cdot}SiO_2$ glasses: new prospects and problems
L. Olivier, X. Yuan, A.N. Cormack and C. Jäger 53

Direct observation of multiple oxygen sites in oxide glasses: recent advances from triple-quantum magic-angle spinning nuclear magnetic resonance
J.F. Stebbins, P. Zhao, S. Keun Lee and J.V. Oglesby 67

^{207}Pb and ^{113}Cd NMR and XPS characterization of PbO–$PbCl_2$–$CdCl_2$ glasses
L. Montagne, S. Donze, G. Palavit, J.C. Boivin, F. Fayon, D. Massiot, J. Grimblot and L. Gengembre ... 74

Nitridation of alkali metaphosphate glasses: a comparative structural analysis of the Na–P–O–N and Li–Na–P–O–N systems
A. Le Sauze, L. Montagne, Gé. Palavit and R. Marchand 81

MAS NMR study of soda-lime–silicate glasses with variable degree of polymerisation
A.R. Jones, R. Winter, G.N. Greaves and I.H. Smith 87

EXAFS studies of the local thermal expansion in borate glasses
G. Dalba, P. Fornasini, F. Rocca and F. Monti 93

Multiple scattering calculations of the XANES Si K-edge in amorphous silica
C. Levelut, D. Cabaret, M. Benoit, P. Jund and A.-M. Flank 100

Environment of Ni, Co and Zn in low alkali borate glasses: information from EXAFS and XANES spectra
L. Galoisy, L. Cormier, G. Calas and V. Briois 105

EXAFS studies of the local structure of Er^{3+} ions in silica xerogels co-doped with aluminium
F. Rocca, M. Ferrari, A. Kuzmin, N. Daldosso, C. Duverger and F. Monti 112
Local order around Er^{3+} ions in SiO_2–TiO_2–Al_2O_3 glassy films studied by EXAFS
F. d'Acapito, S. Mobilio, P. Gastaldo, D. Barbier, L.F. Santos, O. Martins and R.M. Almeida 118

Section 3. Diffraction

High-energy X-ray diffraction studies of non-crystalline materials
H. Ohno, S. Kohara, N. Umesaki and K. Suzuya 125
Short-range structure of alkaline-earth borate glasses by pulsed neutron diffraction and molecular dynamics simulation
N. Ohtori, K. Takase, I. Akiyama, Y. Suzuki, K. Handa, I. Sakai, Y. Iwadate, T. Fukunaga and N. Umesaki 136
Medium-range order and random networks
P.H. Gaskell 146
Local structures in glassy and liquid As_2Se_3 – an anomalous X-ray scattering study
S. Hosokawa, Y. Kawakita, W.-C. Pilgrim and F. Hensel 153
Combined neutron and X-ray scattering study of phosphate glasses
U. Hoppe, R. Kranold, A. Barz, D. Stachel, J. Neuefeind and D.A. Keen 158
A neutron diffraction study of glassy GeS_2
I. Petri and P.S. Salmon 169
Tin germanate glasses
D. Holland, M.E. Smith, I.J.F. Poplett, J.A. Johnson, M.F. Thomas and J. Bland 175

Section 4. Metallic and chalcogenide systems

Short-range and medium-range order in molten Ga–Tl alloys
Th. Halm, J. Nomssi Nzali, W. Hoyer, R.P. May and M. Bionducci 182
Local structure around a nitrogen atom for Cr–N and V–N amorphous alloys prepared by mechanical alloying
T. Fukunaga 187
Atomic networks and clustering in liquid Te and K–Te alloys
K. Seifert-Lorenz, G. Kresse and J. Hafner 193
A new type of Bloch–Wilson metal–insulator transition in liquid Se near the critical point and under pressure
F. Yonezawa, H. Ohtani and T. Yamaguchi 199
Atomic structure and chemical order in Ge–As sulfide glasses: a combined Ge and As K-edge EXAFS study
S. Sen, C.W. Ponader and B.G. Aitken 204
Universal trend of the Haven ratio in glasses: origin and structural evidences from neutron diffraction and small-angle neutron scattering
E. Bychkov, D.L. Price and A. Lapp 211

Section 5. Structure–property relationships and crystallisation

Can thermodynamics relate the properties of melts and glasses to their structure?
B.A. Shakhmatkin, N.M. Vedishcheva and A.C. Wright 220
Predicting glass properties from structure data and intermolecular forces
S. Baer 227
Unmixing in sodium-silicate melts: influence on viscosity and heat capacity
P. Jarry and P. Richet 232
Structure and reactivity of amorphous silicon nitride investigated with density-functional methods
P. Kroll 238
Density of alkali germanate glasses related to structure
Y.D. Yiannopoulos, C.P.E. Varsamis and E.I. Kamitsos 244
Crystallization of amorphous bismuth titanate
S. Kojima, A. Hushur, F. Jiang, S. Hamazaki, M. Takashige, M.-S. Jang and S. Shimada 250

In situ high-temperature X-ray observation of structural changes of tellurite glasses with p-block oxides: ZnO–TeO_2 glasses
A. Nukui, T. Taniguchi and M. Miyata 255
Characterisation of the free-carbon phase in precursor-derived SiCN ceramics
S. Trassl, G. Motz, E. Rössler and G. Ziegler 261

Section 6. Modelling

A molecular dynamics simulation study of ionic diffusion and NMR spin–lattice relaxation in $Li_2Si_4O_9$ glass
S. Sen and T. Mukerji 268
Can one learn about glasses from advances in granular materials?
S.F. Edwards 279
Molecular dynamics simulations of soda–lime–silicate glasses
A.N. Cormack and J. Du 283
Investigation of multicomponent silicate glasses by coupling WAXS and molecular dynamics
J.-M. Delaye, L. Cormier, D. Ghaleb and G. Calas 290
Reverse Monte Carlo modelling of network glasses: useful or useless?
R.L. McGreevy and P. Zetterström 297
The structure of vitreous and molten B_2O_3
J. Sakowski and G. Herms 304
Thermodynamic modelling of the structure of glasses and melts: single-component, binary and ternary systems
N.M. Vedishcheva, B.A. Shakhmatkin and A.C. Wright 312

Section 7. Low energy dynamics, relaxation, fluctuations and phase transitions

Structural dependence of fast relaxation in glass-forming substances and correlation with the stretch exponent of the slow structural α-relaxation
R. Casalini and K.L. Ngai 318
Effects of topological order on vibrational dynamics in simple close-packed glasses
S.I. Simdyankin, M. Dzugutov, S.N. Taraskin and S.R. Elliott 327
Vibrational dynamics in disordered structures studied by the coherent potential approximation
S.N. Taraskin, Y.L. Loh, G. Natarajan and S.R. Elliott 333
Structural dynamics on the μs scale in molecular-dynamics simulated, deeply undercooled, glass-forming $Ni_{0.5}Zr_{0.5}$
H. Teichler 339
Separation of soft-mode and acoustic dynamics in the boson peak of glasses: vast difference in high-pressure effects
M.I. Klinger 345
Rigidity transitions in binary Ge–Se glasses and the intermediate phase
P. Boolchand, X. Feng and W.J. Bresser 348
Polyamorphic transitions in yttria–alumina liquids
M.C. Wilding and P.F. McMillan 357
Thermal annealing and density fluctuations in silica glass
R. Le Parc, B. Champagnon, Ph. Guenot and S. Dubois 366

Section 8. Neutron and optical spectroscopy

Dependence of the atomic dynamics of metallic glasses on quenched-in density fluctuations and on temperature
J.-B. Suck 370
Dispersive excitation in different forms of SiO_2
M. Nakamura, M. Arai, T. Otomo, Y. Inamura and S.M. Bennington 377
The structure of vitreous boron sulphide
R.N. Sinclair, C.E. Stone, A.C. Wright, S.W. Martin, M.L. Royle and A.C. Hannon 383
Intermediate range structure and low-energy dynamics of densified vitreous silica
Y. Inamura, M. Arai, M. Nakamura, T. Otomo, N. Kitamura, S.M. Bennington, A.C. Hannon and U. Buchenau 389

Vibrational spectra and structure of alkali germanate glasses
D. Di Martino, L.F. Santos, A.C. Marques and R.M. Almeida 394
Raman spectroscopic study of Nd-doped $10Na_2O$–$90TeO_2$ glasses
H. Li, Y. Su and S.K. Sundaram 402
The structure of oxide glasses containing SeO_2
Y. Dimitriev, St. Yordanov and L. Lakov 410
Analysis of the structure of lead borosilicate glasses using laser ionization time of flight mass spectroscopy
D. Stentz, S. Blair, C. Goater, S. Feller and M. Affatigato 416
Structural influence of tellurite glasses on fluorescence of thulium near 1.86 μm
D.B. Hollis, F.R. Cruickshank and M.J.P. Payne 422

Section 9. Novel experimental and preparation techniques

Structural factors in silver-induced relaxation in aluminosilicate glasses
S.A. Poling and S.N. Houde-Walter 430
Enhanced resolution and quantitation from 'ultrahigh' field NMR spectroscopy of glasses
S. Kroeker, P.S. Neuhoff and J.F. Stebbins 440
Structural studies on expanded fluid selenium up to the metallic region using synchrotron radiation
X. Hong, M. Inui, K. Tamura, T. Matsusaka, D. Ishikawa and M.H. Kazi 446
Measuring neutron scattering structure factor for liquid alumina and analysing the radial distribution function by empirical potential structural refinement
C. Landron, A.K. Soper, T.E. Jenkins, G.N. Greaves, L. Hennet and J.P. Coutures 453
Atomic structure of amorphous solids from high resolution electron microscopy – a technique for the new millennium?
G. Mountjoy 458

Section 10. Posters

Short range structure in the amorphous As–S–Br system
K. Abe, T. Usuki, O. Uemura, Y. Kameda and M. Sakurai 464
Raman spectra of K_2O–B_2O_3 glasses and melts
R. Akagi, N. Ohtori and N. Umesaki 471
Cobalt oxide-based films: sol–gel synthesis and characterization
L. Armelao, D. Barreca, S. Gross, A. Martucci, M. Tieto and E. Tondello 477
Thermal, acoustic, and nuclear magnetic resonance studies of cesium borate glasses
J.R. Berryman, S.A. Feller, M. Affatigato, M. Kodama, B.M. Meyer, S.W. Martin, F. Borsa and S. Kroeker 483
A comparison of crystalline and vitreous lead borates using laser photoionization mass spectroscopy
S. Blair, D. Stentz, H. Feller, R. Leelasagar, C. Goater, S. Feller and M. Affatigato 490
Local structure and dynamics of high temperature SrO–Al_2O_3 liquids studied by ^{27}Al NMR and Sr K-edge XAS spectroscopy
M. Capron, P. Florian, F. Fayon, D. Trumeau, L. Hennet, M. Gaihlanou, D. Thiaudière, C. Landron, A. Douy and D. Massiot 496
Structure of $(GeO_2)_{1-x}(PbO)_x$ glasses by X-ray scattering
L. Červinka, J. Bergerová, V.N. Sigaev and F. Rocca 502
A high temperature neutron diffraction study of a titanosilicate glass
L. Cormier, G. Calas, D.R. Neuville and R. Bellissent 510
Nucleation and growth of $CdTe_{1-x}S_x$ nanocrystals embedded in a borosilicate glass. Effects of sulfur content and two-step thermal annealing
G. Kellermann, A.F. Craievich, L.C. Barbosa and O.L. Alves 517
Electrochemical behaviour of ceramic sol–gel coatings on mild steel
M. Fallet, H. Mahdjoub, B. Gautier and J.-P. Bauer 527
Infrared and Mössbauer studies of iron in aluminosilicate glasses
M.G. Ferreira da Silva and B.F.O. Costa 534
Molecular dynamics simulation of sodium borosilicate glasses
F. Gou, G.N. Greaves, W. Smith and R. Winter 539

Classical-wave induced anomaly in tunneling dynamics of glasses
M.I. Klinger and M. Gitterman 547
Alkali and halogen dependence of optical absorption bands of alkali-borate glasses
T. Harami and K. Handa 550
Numerical structural analysis of the icosahedral glass and related structures
J.D. Harrop, S.N. Taraskin, S.I. Simdyankin, S.R. Elliott and M. Dzugutov 556
FT–IR and Raman spectra of Gd phosphate crystals and glasses
D. Ilieva, B. Jivov, D. Kovacheva, Ts. Tsacheva, Y. Dimitriev, G. Bogachev and Ch. Petkov 562
Small angle X-ray scattering measurements for fluid selenium near the liquid–vapour critical point
M.H. Kazi, M. Inui and K. Tamura 569
Short range structures of amorphous Se–Te prepared by mechanical alloying
K. Itoh, M. Misawa and T. Fukunaga 575
On the structural phase transformations in $Ge_xSb_{40-x}Se_{60}$ glasses
Z.G. Ivanova, V. Pamukchieva and M. Vlček 580
Ionic species and linkage in $ZnBr_2$–KBr melts
Y. Iwadate, H. Kenmotsu, T. Mori, K. Fukushima, M. Misawa and T. Fukunaga 586
Blue emission and energy transfer characteristics of Eu-doped sol–gel glasses without post-processing
N. Kamata, C. Satoh, K. Tosaka and K. Yamada 595
Neutron diffraction and MD studies of LiBr hydrated melts
Y. Kameda, M. Imano, M. Takeuchi, S. Suzuki, T. Usuki and O. Uemura 600
Medium-range structural change in the ceramization from polymer precursors
T. Kamiyama, M. Sasaki, T. Otomo, M. Shibuya, K. Kumagawa and K. Suzuki 607
The boson peak in supercooled metallic liquids and glasses and relation to the glass transition
I. Kanazawa 615
Bonding nature of liquid Te over a wide temperature range
Y. Kawakita, S. Hosokawa, W.-C. Pilgrim and F. Hensel 620
Glass spheres produced by magnetic levitation method
N. Kitamura, M. Makihara, T. Sato, M. Hamai, I. Mogi, S. Awaji, K. Watanabe and M. Motokawa 624
Structural relaxation and its effects on photoluminescence properties in Si quantum wires
J. Koga, K. Nishio, H. Ohtani, F. Yonezawa and T. Yamaguchi 630
Study of the structure and properties of Pb–Zn borophosphate glasses
L. Koudelka and P. Mošner 635
Effect of the Cl^- content on the formation and dissolution of precipitates in a soda–lime–silica glass
R. Kranold, M. Kammel and A. Hoell 642
Silver particles in glasses of the 'Ag_2O–ZnO–P_2O_5' system
I. Belharouak, F. Weill, C. Parent, G. Le Flem and B. Moine 649
A multispectroscopic study of $PbO_xZnO_{0.6-x}(P_2O_5)_{0.4}$ glasses
G. Le Saout, F. Fayon, C. Bessada, P. Simon, A. Blin and Y. Vaills 657
Physical properties of alkali and mixed lithium–cesium vanadate glasses prepared over an extended range of compositions
J.M. Lewis, C.P. O'Brien, M. Affatigato and S.A. Feller 663
Physical properties of alkaline-earth and alkali borate glasses prepared over an extended range of compositions
N.P. Lower, J.L. McRae, H.A. Feller, A.R. Betzen, S. Kapoor, M. Affatigato and S.A. Feller 669
Numerical analysis of the vibrational eigenmodes of a 2D disordered lattice
J.J. Ludlam, T.O. Stadelmann, S.N. Taraskin and S.R. Elliott 676
EXAFS and XRD study of Pd–Ag bimetallic catalysts supported on pumice from organometallic precursors
A. Balerna, G. Deganello, L. Liotta, A. Longo, A. Martorana, C. Meneghini, S. Mobilio and A.M. Venezia 682
Environmental effect on the magnetic properties of Fe ions in glasses and ceramics
Kh.A. Ziq and A. Mekki 688
WAXS and NMR studies of intermediate and short range order in K_2O–SiO_2 glasses
F. Meneau, G.N. Greaves, R. Winter and Y. Vaills 693

Network structure of M_2O–TeO_2 (M=Li, Na, $Li_{0.62}Na_{0.38}$) glasses
H. Munemura, K. Mitome, M. Misawa and K. Maruyama 700
Positional dependence of optical absorption in silicon nanostructure
K. Nishio, J. Kōga, H. Ohtani, T. Yamaguchi and F. Yonezawa 705
NASIGLAS structure and properties
A. Niyompan and D. Holland 709
Method for liquid–vapor coexistence curves by test-particle insertions in the canonical ensemble
H. Okumura and F. Yonezawa 715
Structure and ionic conductivity of sodium titanophosphate glasses
L. Montagne, G. Palavit, A. Shaim, M. Et-Tabirou, P. Hartmann and C. Jäger 719
High-resolution atomic distribution functions of disordered materials by high-energy X-ray diffraction
V. Petkov, S.J.L. Billinge, S.D. Shastri and B. Himmel 726
New techniques in sol–gel characterisation – mechanical measurements and fractal characteristics
P.R. Williams, R.Ll. Williams, R. Jones, A. Al-Hussany and S. Ravji 731
Density–structure relations in mixed-alkali borosilicate glasses by ^{29}Si and ^{11}B MAS–NMR
J.M. Roderick, D. Holland, A.P. Howes and C.R. Scales 746
Structural evolution of sodium silicate solutions dried to amorphous solids
H. Roggendorf, D. Böschel and J. Trempler 752
A new program package for investigation of medium-range order in computer-simulated solids
J. Rybicki, G. Bergmański and G. Mancini 758
Amorphization of Ge–GeSe mixtures in mechanical alloying process
Y. Shirakawa, T. Matsuda, Y. Tani, A. Shimosaka and J. Hidaka 764
The structure of pressure-compacted vitreous germania
C.E. Stone, A.C. Hannon, T. Ishihara, N. Kitamura, Y. Shirakawa, R.N. Sinclair, N. Umesaki and A.C. Wright 769
The order–disorder transition in supersaturated $Zr_{100-x}Al_x$ studied by inelastic neutron scattering
F. Jurányi, J.-B. Suck and O. Petrenko 776
Crystalline–amorphous transitions of Ge–Se alloys by mechanical grinding
Y. Tani, Y. Shirakawa, A. Shimosaka and J. Hidaka 779
Electric, thermodynamic and NMR evidence of anomalies in $(x)AgI(1-x)AgPO_3$ glasses
C. Tomasi, P. Mustarelli, A. Magistris and Ma.P. Infante Garcia 785
Local atomic order of Ge–Se–Br glasses
O. Uemura, T. Usuki, M. Inoue, K. Abe, Y. Kameda and M. Sakurai 792
Structural and physical properties of Ag–As–Te glasses
T. Usuki, O. Uemura, S. Konno, Y. Kameda and M. Sakurai 799
Correlation entropy and its relation to properties of liquid iron, cobalt and nickel
I. Yokoyama and T. Arai 806

Author index 813
Subject index 822